

Highest Performance/Lightweight - #30 Felt Replacement

# **MATERIAL SAFETY DATA SHEET**

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION		
PRODUCT NAME:	FelTex	
MANUFACTURER:	System Components Corporation	
DIVISION:	Quality Assurance Department	
ADDRESS:	PO Box 2432, Issaquah, WA 98027	
EMERGENCY PHONE:	(425) 392-5150	
FAX PHONE:	(425) 392-1479	
CHEMICAL NAME:	Polyolefin Coated Woven Fabric	

#### SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

#### Not a WHMIS Controlled Product

INGREDIENT	%WT	%VOL	SARA 313 REPORTABLE
Polypropylene	>97	_	-
Polyethylene	2.5	_	_
Additives (Proprietary)	<0.5	_	_

## SECTION 3: HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

ROUTES OF ENTRY:	Ingestion
POTENTIAL HEALTH EFFECTS EYES:	See Note
SKIN:	See Note
INGESTION:	No known health hazard appears to be posed by the ingestion of small amounts of polyethylene. A physician should be consulted if larger amounts are ingested.
INHALATION:	See Note
ACUTE HEALTH HAZARDS:	N/A
CHRONIC HEALTH HAZARDS:	N/A
CARCINOGENICITY:	N/A
NOTE:	Use of protective equipment is a good practice in any industrial environment.

# **MATERIAL SAFETY DATA SHEET**

SECTION 4: FIRST AID MEASU	RES
EYES:	Not needed (See note)
SKIN:	Not needed (See note)
INGESTION:	Not needed
INHALATION:	Not needed
NOTES TO PHYSICIANS OR FIRST AID PROVIDERS	Smoke and hazardous decomposition products produced in fires involving polyethylene resins can be irritating and may cause pulmonary edema in severely exposed individuals. As this effect may be delayed in onset, a 72 hour post exposure observation is recemmended. Carboxyhemoglobin levels should also be monitored to assess the degree of carbon monoxide absorption in these individuals.
SECTION 4 NOTES:	Use of protective equipment is a good practice in any industrial environment.

5: FIRE-FIGHTING A	VEASURES

FLASH POINT: METHOD USED:	F: 650° C: 343° -
AUTOIGNITION TEMPERATURE:	F: 630° – 750° C: 330° – 410°
EXTINGUISHING MEDIA:	Water spray, "alcohol," foam, carbon dioxide, dry chemical
HAZARDOUS DECOMPOSITION PRODUCTS:	When heated to decomposition, it may emit toxic fumes, carbon monoxide, carbon dioxide, acrolein, keytones, aldehydes and other unidentified organic compunds may be formed upon combustion.
SECTION 5 NOTES:	Material is a combination of polypropylene and polyethylene and olefin masterbatch.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: N/A

### SECTION 7: HANDLING AND STORAGE

HANDLING:	Not needed
STORAGE:	General conditions
OTHER PRECAUTIONS:	Material is slippery under-foot

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION:	Not needed (See note)
EYE PROTECTION:	Not needed (See note)
SKIN PROTECTION:	Not needed (See note)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	Not needed (See note)

#### SECTION 8 NOTES:

Use of protective equipment is a good practice in any industrial environment.

### **MATERIAL SAFETY DATA SHEET**

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: ODO PHYSICAL STATE: EVAPORATION RATE:	Coated Woven Fabric Sl None Solid N/A	neet			
Boiling point:	F : N/A C: N/A	MELTING POINT:	F : 239° – 266° C: 115° – 130°	FREEZING POINT:	F : N/A C: N/A
VAPOR PRESSURE (mmHg):	F : N/A C: N/A	VAPOR DENSITY (AIR=1):	F : N/A C: N/A	SPECIFIC GRAVITY (H2O=1):	F : N/A C: N/A
SECTION 10: STABIL	ITY AND REACTIVITY				
STABILITY: CONDITIONS TO AVOI INCOMPATIBILITY (MAT HAZARDOUS DECOMP		N/A N/A N/A None			
SECTION 11: TOXIC	OLOGICAL INFORMATION				
TOXICOLOGICAL INFO	RMATION:	N/A			
SECTION 12: ECOLO	DGICAL INFORMATION				
ECOLOGICAL INFORM	ATION:	N/A			

SECTION 13: DISPOSAL CONSIDERATIONS	
WASTE DISPOSAL METHOD:	Dispose with garbage to incinerator or landfill in accordance with federal, provincial and local regulations or where recycling facilities exist.

SECTION 14: TRANSPORT INFORMATION						
U.S. DEPARTMENT OF TRA	NSPORTATION	WATER TRANSPORTATION		AIR TRANSPORTATION		
PROPER SHIPPING NAME:	Not Needed	PROPER SHIPPING NAME:	Not Needed	PROPER SHIPPING NAME:	Not Needed	
HAZARD CLASS:	_	HAZARD CLASS:	_	HAZARD CLASS:	_	
ID NUMBER:	_	ID NUMBER:	_	ID NUMBER:	_	
PACKING GROUP:	_	PACKING GROUP:	_	PACKING GROUP:	_	

\_

LABEL STATEMENT:

\_

LABEL STATEMENT:

LABEL STATEMENT:

\_

### **MATERIAL SAFETY DATA SHEET**

SECTION 15: REGULATORY INFORMATION

#### **U.S. FEDERAL REGULATIONS**

TSCA (TOXIC SUBSTANCE CONTROL ACT):	N/A
CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT)	: N/A
SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):	N/A
311/312 HAZARD CATEGORIES:LABEL STATEMENT:	N/A
313 REPORTABLE INGREDIENTS:	N/A
STATE REGULATIONS:	N/A
INTERNATIONAL REGULATIONS	N/A

#### SECTION 16: OTHER INFORMATION

OTHER INFORMATION:	Prepared on May 20, 2015
PREPARATION INFORMATION:	Quality Assurance Department System Components Corporation
DISCLAIMER:	The information presented herein, while not guaranteed, is to the best of our knowledge, true and accurate. No warranty or guarantee expressed or implied is made regarding the performance of any product since the manner of use and handling is beyond our control. Nothing contained herein is to be controuted as permissible or as a recommendation to infringe on any patent. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.



Phone: 425-392-5150 (West) | 330-528-0255 (East) System Components Corporation Email: support@systemcomponents.net Web: www.systemcomponents.net

P.O. Box 2432 Issaquah, WA 98027  $\operatorname{FelTex}\nolimits {\mathbbm R}$  is a registered trademark of System Components Corporation. © 2015-2016 System Components Corporation. All rights reserved.

FelTex<sup>®</sup> – Material & Safety Information LAST UPDATED 06/22/2016