

COVERPRO[®] 1000

SYNTHETIC ROOFING UNDERLAYMENT

High Strength/Lightweight – Felt Replacement

MATERIAL SAFETY DATA SHEET

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: CoverPRO[®] 1000
MANUFACTURER: System Components Corporation
DIVISION: Quality Assurance Department
ADDRESS: PO Box 2432, Issaquah, WA 98027
EMERGENCY PHONE: (425) 392-5150
FAX PHONE: (425) 392-1479
CHEMICAL NAME: Polyolefin Coated Woven Fabric

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Not a WHMIS Controlled Product

| INGREDIENT | %WT | %VOL | SARA 313 REPORTABLE |
|-------------------------|-----|------|---------------------|
| Polyolefin | >97 | – | – |
| Additives (Proprietary) | <3 | – | – |

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

ROUTES OF ENTRY: Ingestion
POTENTIAL HEALTH EFFECTS EYES: See Note
SKIN: See Note
INGESTION: No known health hazard appears to be posed by the ingestion of small amounts of polyethylene. A physician should be consulted if larger amounts are ingested.
ACUTE HEALTH HAZARDS: N/A
CHRONIC HEALTH HAZARDS: N/A
CARCINOGENICITY: N/A
NOTE: Use of protective equipment is a good practice in any industrial environment.

MATERIAL SAFETY DATA SHEET

SECTION 4: FIRST AID MEASURES

| | |
|-------------|-----------------------|
| EYES: | Not needed (See note) |
| SKIN: | Not needed (See note) |
| INGESTION: | Not needed |
| INHALATION: | Not needed |

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS Smoke and hazardous decomposition products produced in fires involving polyethylene resins can be irritating and may cause pulmonary edema in severely exposed individuals. As this effect may be delayed in onset, a 72 hour post exposure observation is recommended. Carboxyhemoglobin levels should also be monitored to assess the degree of carbon monoxide absorption in these individuals.

SECTION 4 NOTES: Use of protective equipment is a good practice in any industrial environment.

SECTION 5: FIRE-FIGHTING MEASURES

FLASH POINT: F : 650°
C : 343°

METHOD USED: –

EXTINGUISHING MEDIA: Water spray, "alcohol," foam, carbon dioxide, dry chemical

HAZARDOUS DECOMPOSITION PRODUCTS: When heated to decomposition, it may emit toxic fumes, carbon monoxide, carbon dioxide, acrolein, ketones, aldehydes and other unidentified organic compounds may be formed upon combustion.

SECTION 5 NOTES: Material is a combination of polypropylene and polyethylene and olefin masterbatch.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: N/A

SECTION 7: HANDLING AND STORAGE

HANDLING: Not needed
STORAGE: General conditions
OTHER PRECAUTIONS: Material is slippery under-foot

SECTION 7: HANDLING AND STORAGE

RESPIRATORY PROTECTION: Not needed
EYE PROTECTION: Not needed (See note)
SKIN PROTECTION: Not needed (See note)
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not Needed (See note)

SECTION 8 NOTES: Use of protective equipment is a good practice in any industrial environment.

MATERIAL SAFETY DATA SHEET

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

| | | | | | |
|---------------------------|---------------------------|---------------------------|--------------------|------------------------------|--------------------|
| APPEARANCE: | Coated Woven Fabric Sheet | | | | |
| ODO | No | | | | |
| PHYSICAL STATE: | Solid | | | | |
| EVAPORATION RATE: | N/A | | | | |
| BOILING POINT: | F : N/A C : N/A | MELTING POINT: | F : N/A C : N/A | FREEZING POINT: | F : N/A C : N/A |
| VAPOR PRESSURE (mmHg): | F : N/A C : N/A | VAPOR DENSITY (AIR=1): | F : N/A C : N/A | SPECIFIC GRAVITY (H2O=1): | F : N/A C : N/A |

SECTION 10: STABILITY AND REACTIVITY

| | |
|---|------|
| STABILITY: | N/A |
| CONDITIONS TO AVOID (STABILITY): | N/A |
| INCOMPATIBILITY (MATERIAL TO AVOID): | N/A |
| HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: | None |

SECTION 11: TOXICOLOGICAL INFORMATION

| | |
|----------------------------|-----|
| TOXICOLOGICAL INFORMATION: | N/A |
|----------------------------|-----|

SECTION 12: ECOLOGICAL INFORMATION

| | |
|-------------------------|-----|
| ECOLOGICAL INFORMATION: | N/A |
|-------------------------|-----|

SECTION 13: DISPOSAL CONSIDERATIONS

| | |
|------------------------|---|
| WASTE DISPOSAL METHOD: | Dispose with garbage to incinerator or landfill in accordance with federal, provincial and local regulations or where recycling facilities exist. |
|------------------------|---|

SECTION 14: TRANSPORT INFORMATION

| U.S. DEPARTMENT OF TRANSPORTATION | | WATER TRANSPORTATION | | AIR TRANSPORTATION | |
|-----------------------------------|------------|-----------------------|------------|-----------------------|------------|
| PROPER SHIPPING NAME: | Not Needed | PROPER SHIPPING NAME: | Not Needed | PROPER SHIPPING NAME: | Not Needed |
| HAZARD CLASS: | - | HAZARD CLASS: | - | HAZARD CLASS: | - |
| ID NUMBER: | - | ID NUMBER: | - | ID NUMBER: | - |
| PACKING GROUP: | - | PACKING GROUP: | - | PACKING GROUP: | - |
| LABEL STATEMENT: | - | LABEL STATEMENT: | - | LABEL STATEMENT: | - |

MATERIAL SAFETY DATA SHEET

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

| | |
|--|-----|
| TSCA (TOXIC SUBSTANCE CONTROL ACT): | N/A |
| CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT): | N/A |
| SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT): | N/A |
| 311 /312 HAZARD CATEGORIES: LABEL STATEMENT: | N/A |
| 313 REPORTABLE INGREDIENTS: | N/A |
| STATE REGULATIONS: | N/A |
| INTERNATIONAL REGULATIONS | N/A |

SECTION 16: OTHER INFORMATION

OTHER INFORMATION: Prepared on September 1, 2014

PREPARATION INFORMATION: Quality Assurance Department
System Components Corporation

DISCLAIMER: The information presented herein, while not guaranteed, is to the best of our knowledge, true and accurate. No warranty or guarantee expressed or implied is made regarding the performance of any product since the manner of use and handling is beyond our control. Nothing contained herein is to be construed as permissible or as a recommendation to infringe on any patent. It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations.

COVERPRO[®]1000
SYNTHETIC ROOFING UNDERLAYMENT

Phone: 425-392-5150 (West) | 330-528-0255 (East)
Email: support@systemcomponents.net
Web: www.systemcomponents.net

System Components Corporation
P.O. Box 2432
Issaquah, WA 98027

CoverPRO 1000 is a registered trademark of System Components Corporation.
© 2015-16 System Components Corporation. All rights reserved.

CoverPRO[®] 1000 Material & Safety Information
LAST UPDATED 6/15/2016